



E. PRODUCT GUIDE

AF26303	FORD F50Y9601A Mexico only		Overall Height: 7.91 (201) End 1 OD: 8.15 (207) End 1 ID: 4.25 (108)
AF26304	FORD D3Z9601A Mexico only		Overall Height: 1.97 (50) End 1 OD: 10.63 (270) End 1 ID: 9.09 (231)
AF26305	GMC 25050385 Mexico only		Height: 2.80 (71) Overall OD: 9.65 (245) End 1 ID: 8.07 (205)
AF26306	FORD E7TZ9601B Mexico only		Length: 12.68 (322) Width: 5.81 (148)
AF26307	CHRYSLER 53004383 Mexico only		Length: 13.39 (340) Width: 6.61 (168)
AF26308	GMC 25313348 Mexico only		Length: 12.28 (312) Width: 9.72 (247)
AF26309	GMC 25098463 Mexico only		Length: 11.50 (292) Width: 5.91 (150)
AF26310	FORD F57Z9601A Mexico only		Height: 7.85 (199.39) Overall OD: 6.93 (175.9) End 1 ID: 3.11 (79)
AF26312	GMC 8991386 Mexico only		Height: 2.26 (57.5) Overall OD: 9.69 (246.0) End 1 ID: 8.07 (205.0)
AF26313	FORD E9SZ9601A Mexico only		Length: 9.57 (243) Width: 9.57 (243)
AF26314	GMC 25042562 Mexico only		Length: 16.00 (406) Width: 7.95 (202)
AF26315	GMC 15998574 Mexico only		Overall Height: 11.18 (284) Overall OD: 6.48 (164.5) End 1 ID: 3.60 (91.5)

AF26316	CHRYSLER 3614353 Mexico only		Height: 3.58 (91) Overall OD: 10.51 (267) End 1 ID: 8.86 (225)
AF26317	JEEP 948516 Mexico only		Height: 3.50 (89) Overall OD: 9.76 (248)
AF26318	FORD XC3Z9601AA Mexico only		Length: 13.40 (340) Width: 7.24 (184)
AF26319	GMC 25168082 Mexico only		Height: 11.14 (283) Overall OD: 7.19 (182.5) End 1 ID: 3.69 (93.6)
AF26320	NISSAN 1654618000 Mexico only		Height: 2.01 (51) Overall OD: 8.88 (225.5) End 1 ID: 6.93 (176)
AF26321	NISSAN 16546V0100 Mexico only		Length: 11.02 (280) Width: 6.61 (168)
AF26322	NISSAN 16546VW600 Mexico only		Height: 11.51 (292.39) Overall OD: 4.86 (123.5)
AF26323	NISSAN 1654686G00 Mexico only		Height: 2.33 (59.3) Overall OD: 12.80 (325)
AF26324	Mexico only		Length: 11.42 (290) Width: 9.69 (246)
AF26325	IVECO 41272534 Fire Resistant version of AF4503		
AF26328	Upgrade of AF1968 Used on Kenworth T800 Short Hood Chassis Trucks		Overall Height: 22.40 (569) End 1 OD: 11.67 (296) End 2 OD: 10.59 (269) End 2 ID: 6.71 (170)

AF26328M	Upgrade of AF1968M Used on Kenworth (Paccar) T800 Short Hood Chassis Trucks
	Overall Height: 22.40 (569) End 1 OD: 11.67 (296) End 2 OD: 10.59 (269) End 2 ID: 6.71 (170)


Air Housings

AH1100	CUMMINS 3315741 Disposable Housing Unit		Overall Height: 15.46 (393) Outlet OD: 5.50 (140) Length: 14.56 (370) Width: 17.38 (442)
AH1101	CUMMINS 3315742 Gen Set Disposable Housing Unit		Height: 17.91 (455) Outlet OD: 5.50 (140) End 1 OD: 17.64 (448) End 1 ID: 5.50 (140) Length: 17.83 (453) Width: 19.82 (503)
AH1103	Disposable Housing Unit		Overall Height: 25.72 (653) Largest Housing OD: 11.00 (279) End Connection Height: 1.60 (41) End Connection OD: 7.00 (178)
AH1103F	Same As AH1103 Except Element Inside Is Sitting Off Center.		
AH1107	DONALDSON HOUSINGS ECC085004 Disposable Housing Unit		Overall Height: 10.88 (276) Largest Housing OD: 8.50 (216) End Connection Height: 1.38 (35) End Connection ID: 3.00 (76)
AH1134	Housing used with AF1913 Nelson Winslow Hat Type		Overall Height: 8.00 (203) Largest Housing OD: 8.20 (208) End Connection Height: 2.00 (51) End Connection ID: 3.04 (77)
AH1135	FARR 71338003 For Upgrade, use AH1135M Disposable Housing Unit		Overall Height: 25.72 (653) Largest Housing OD: 13.50 (343) End Connection Height: 1.60 (41) End Connection OD: 7.00 (178)

E. PRODUCT GUIDE

AH1135F  FARR 71338003 For Upgrade, use AH1135M	AH1146  AIR MAZE CDS0916610G Housing used with AF1638, AF1639 Overall Height w/o Wing Nut:18.62 (473) Dust collector: YES Largest housing OD: 4.50 (114) End Connection Height: 3.12 (79) End Connection OD: 3.00 (76) Side Connection Loc: 12.75 (324) Side Connection Height:5.25 (133) Side Connection OD: 3.00 (76)	AH1183  FARR 71338004 Disposable Housing Unit Overall Height: 19.72 (501) Largest Housing OD: 13.50 (343) End Connection Height: 1.60 (41) End Connection OD: 7.00 (178)
AH1135M  ONAN 1403163, FARR 71338006 Upgrade of AH1135, AH1135F Overall Height: 25.72 (653) Largest Housing OD: 13.50 (343) End Connection Height: 1.60 (41) End Connection OD: 7.00 (178)	AH1147  AIR MAZE CDS1017610G, CUMMINS 3834639 Housing used with AF4668, AF963 Overall Height w/o Wing Nut:19.62 (498) Dust collector: YES Largest housing OD: 5.25 (133) End Connection Height: 3.12 (79) End Connection OD: 4.00 (102) Side Connection Loc: 13.25 (337) Side Connection Height:4.63 (117) Side Connection OD: 4.50 (114)	AH1184  FARR 788971 Disposable Housing Unit Overall Height: 25.35 (644) Largest housing OD: 13.50 (343) End Connection Height: 1.25 (32) End Connection OD: 8.00 (203) Side Connection Loc: 18.62 (473) Side Connection Height:4.37 (111) Side Connection OD: 7.00 (178)
AH1136  DONALDSON ECB085001 For Marine applications use AH19003 Disposable Housing Unit Use AH19003 for Marine application Overall Height: 12.38 (314) Largest Housing OD: 8.50 (216) End Connection Height: 1.38 (35) End Connection ID: 3.00 (76)	AH1148  AIR MAZE CDS1117610G Housing used with AF947, AF963 Overall Height w/o Wing Nut:20.76 (527) Dust collector: YES Largest housing OD: 13.08 (332) End Connection Height: 3.38 (86) End Connection OD: 4.00 (102) Side Connection Loc: 14.11 (358) Side Connection Height:0.52 (13) Side Connection OD: 4.50 (114)	AH1185  DONALDSON ECB085009 Disposable Housing Unit Overall Height: 4.38 (111) Largest Housing OD: 8.50 (216) End Connection Height: 1.38 (35) End Connection ID: 3.00 (76)
AH1138  CUMMINS 3910946, DONALDSON ECC085003 Disposable Housing Unit Overall Height: 6.38 (162) Largest Housing OD: 8.50 (216) End Connection Height: 1.38 (35) End Connection ID: 3.00 (76)	AH1151  AIR MAZE CDS1623610G Housing used with AF4678, AF25218 Overall Height w/o Wing Nut:27.50 (699) Dust collector: YES Largest housing OD: 16.00 (406) End Connection Height: 4.31 (109) End Connection OD: 6.00 (152) Side Connection Loc: 19.00 (483) Side Connection Height:6.00 (152) Side Connection OD: 6.00 (152)	AH1188  DONALDSON ECB085008 Disposable Housing Unit Overall Height: 9.88 (251) Largest Housing OD: 8.50 (216) End Connection Height: 1.38 (35) End Connection ID: 3.00 (76)
AH1139  CUMMINS 3910466, DONALDSON ECB105007 Disposable Housing Unit Overall Height: 11.88 (302) Largest Housing OD: 10.50 (267) End Connection Height: 1.38 (35) End Connection ID: 4.00 (102)	AH1171  AIR MAZE CD0916660G Housing used with AF1638, AF1639 Overall Height: 18.88 (479) Largest Housing OD: 9.38 (238) End Connection Height: 3.20 (81) End Connection OD: 2.88 (73)	AH1189  THERMO-KING 115978, DONALDSON ECC065008 Disposable Housing Unit Overall Height: 11.38 (289) Largest Housing OD: 6.63 (168) End Connection Height: 1.38 (35) End Connection ID: 1.39 (35)
AH1140  DONALDSON ECC105003 Disposable Housing Unit Overall Height: 7.38 (187) Largest Housing OD: 10.50 (267) End Connection Height: 1.38 (35) End Connection ID: 4.00 (102)	AH1174  AIR MAZE CD1219650G Housing used with AF4669, AF4670 Overall Height w/o Wing Nut:21.91 (557) Largest housing OD: 12.62 (321) End Connection Height: 3.35 (85) End Connection OD: 5.00 (127) Side Connection Loc: 14.81 (376) Side Connection Height:3.69 (94) Side Connection OD: 5.00 (127)	AH1190  DONALDSON HOUSINGS ECC085002 Disposable Housing Unit Overall Height: 7.88 (200) Largest Housing OD: 8.50 (216) End Connection Height: 1.38 (35) End Connection ID: 2.50 (64)
AH1141  CUMMINS 3912020, DONALDSON ECB085011 For Marine applications use AH19002 Disposable Housing Unit For Marine Applications, use AH19002 Overall Height: 12.38 (314) Largest Housing OD: 8.50 (216) End Connection Height: 1.38 (35) End Connection ID: 4.00 (102)		AH1191  FARR 96896001 Disposable Housing Unit Overall Height: 14.20 (361) Largest Housing OD: 7.10 (180) End Connection Height: 1.30 (33) End Connection OD: 3.50 (89)
		AH1192  FARR 96896002 Disposable Housing Unit Overall Height: 17.20 (437) Largest Housing OD: 8.10 (206) End Connection Height: 1.30 (33) End Connection OD: 4.50 (114)

E. PRODUCT GUIDE

AH1193  FARR 96896003 Disposable Housing Unit Overall Height: 20.20 (513) Largest Housing OD: 10.10 (257) End Connection Height: 1.30 (33) End Connection OD: 5.50 (140)	AH8501  FARR 628911 Disposable Housing Unit--Dual Air Flow Overall Height: 25.60 (650) Largest housing OD: 9.75 (248) End Connection Height: 1.60 (41) End Connection OD: 6.00 (152) Side Connection Loc: 5.50 (140) Side Connection Height: 1.81 (46) Side Connection OD: 6.00 (152)	AH19002  CUMMINS 3924540, DONALDSON ECB085024 For non-Marine applications, use AH1141 Marine applied Cummins B & C engines. Overall Height: 12.38 (314) Largest Housing OD: 8.50 (216) End Connection Height: 1.38 (35) End Connection ID: 4.00 (102)
AH1194  FARR 71338001 Disposable Housing Unit Overall Height: 25.72 (653) Largest Housing OD: 9.75 (248) End Connection Height: 1.60 (41) End Connection OD: 6.00 (152)	AH8502  Outside/In Flow ONLY If dual air flow is required, use AH8503 Overall Height: 26.00 (660) Largest Housing OD: 11.00 (279) End Connection Height: 1.61 (41) End Connection OD: 7.00 (178)	AH19003  CUMMINS 3924893 For non-Marine applications, use AH1136 Marine applied B & C Engines Overall Height: 12.38 (314) Largest Housing OD: 8.50 (216) End Connection Height: 1.38 (35) End Connection ID: 3.00 (76)
AH1195  FARR 71338005 Disposable Housing Unit Overall Height: 16.70 (424) Largest Housing OD: 13.50 (343) End Connection Height: 1.60 (41) End Connection OD: 7.00 (178)	AH8503  FARR 62891002 Disposable Air Housing--Dual Air Flow Overall Height: 25.60 (650) Largest housing OD: 11.00 (279) End Connection Height: 1.60 (41) End Connection OD: 7.00 (178) Side Connection Loc: 5.50 (140) Side Connection Height: 1.91 (49) Side Connection OD: 7.00 (178)	AH19004  CUMMINS 3924541, DONALDSON ECB105013 For non-Marine applications, use AH19037 Marine applied Cummins B & C engines Overall Height: 11.88 (302) Largest Housing OD: 10.50 (267) End Connection Height: 1.38 (35) End Connection ID: 4.00 (102)
AH1196  Air filter housing package	AH8504  Outside/In Flow ONLY If dual air flow is required, use AH8505 Overall Height: 25.98 (660) Largest housing OD: 13.50 (343) End Connection Height: 1.61 (41) End Connection OD: 7.00 (178) Side Connection Loc: 5.50 (140) Side Connection Height: 2.25 (57) Side Connection OD: 7.00 (178)	AH19014  FARR 99842009 Motor Homes Overall Height: 16.72 (425) Largest housing OD: 13.50 (343) End Connection Height: 1.60 (41) End Connection OD: 7.00 (178) Side Connection Loc: 5.62 (143) Side Connection Height: 1.87 (47) Side Connection OD: 7.00 (178)
AH1197  FARR 114880003 Overall Height: 19.40 (493) Largest housing OD: 10.06 (256) End Connection Height: 1.25 (32) End Connection OD: 5.50 (140) Side Connection Loc: 4.00 (102) Side Connection Height: 1.41 (36) Side Connection OD: 6.00 (152)	AH8505  FARR 628913 Disposable Air HousingDual Air Flow Overall Height: 25.60 (650) Largest housing OD: 13.50 (343) End Connection Height: 1.60 (41) End Connection OD: 7.00 (178) Side Connection Loc: 5.50 (140) Side Connection Height: 1.91 (49) Side Connection OD: 7.00 (178)	AH19015  FARR 99842010 Motor Homes w/Cummins Eng. Overall Height: 16.72 (425) Largest housing OD: 13.50 (343) End Connection Height: 1.60 (41) End Connection OD: 7.00 (178) Side Connection Loc: 9.62 (244) Side Connection Height: 1.87 (47) Side Connection OD: 7.00 (178)
AH1198  BRODERSON 60012047, DONALDSON HOUSINGS ECC085001 Overall Height: 5.38 (137) Largest Housing OD: 8.50 (216) End Connection Height: 1.38 (35) End Connection ID: 2.50 (64)	AH8513  DONALDSON ECB125011 Overall Height: 10.28 (261) Largest Housing OD: 12.44 (316) End Connection Height: 1.30 (33) End Connection ID: 4.94 (126)	AH19036  CUMMINS 3630751 Housing used with AF25278 For Cummins gensets with KT/KTA/KTTA & VTA engines Overall Height: 16.02 (407) Outlet OD: 7.01 (178) Length: 21.10 (536) Width: 17.50 (444)
AH1199  ISUZU X14210031, DONALDSON HOUSINGS ECC085006 Overall Height: 10.88 (276) Largest Housing OD: 8.50 (216) End Connection Height: 1.38 (35) End Connection ID: 2.50 (64)	AH19000  CATERPILLAR 310011 Donaldson ECC05-5003 Overall Height: 5.38 (137) Largest Housing OD: 5.50 (140) End Connection Height: 1.38 (35) End Connection ID: 1.75 (44)	AH19037  DONALDSON ECB105006 For Marine applications use AH19004 Disposable Housing Unit Overall Height: 11.88 (302) Largest Housing OD: 10.50 (267) End Connection Height: 1.38 (35) End Connection ID: 4.00 (102)
AH8500  Outside/In Flow ONLY If dual air flow is required, use AH8501 Overall Height: 25.98 (660) Largest housing OD: 9.76 (248) End Connection Height: 1.61 (41) End Connection OD: 5.98 (152) Side Connection Loc: 5.50 (140) Side Connection Height: 1.89 (48) Side Connection OD: 5.98 (152)	AH19001  DONALDSON ECC045001, CATERPILLAR 8X4575 Overall Height: 5.88 (149) Largest Housing OD: 4.50 (114) End Connection Height: 1.38 (35) End Connection ID: 1.50 (38)	

E. PRODUCT GUIDE

AH19040  ONAN 1403112 Housing used with AF947, 1403117 Overall Height w/o Wing Nut: 21.56 (548) Dust collector: YES Largest housing OD: 10.98 (279) End Connection Height: 3.88 (99) End Connection OD: 4.13 (105) Side Connection Loc: 14.41 (366) Side Connection Height: 4.67 (119) Side Connection OD: 4.49 (114)	AH19063  Housing used with AF1606KM Uses service part: 3918202S, 3918220S, Q04192, Q56825, Q56828, Q59111 Overall Height w/o Wing Nut: 17.65 (448) Dust collector: YES Largest housing OD: 6.55 (166) End Connection Height: 2.00 (51) End Connection OD: 3.00 (76) Side Connection Loc: 13.84 (352) Side Connection Height: 1.50 (38) Side Connection OD: 3.00 (76)	AH19068  Housing used with AF434KM, AF804M Uses service part: 3918205S, 3918227S, 3920523S, Q01453, Q04196, Q06316, Q32418, Q56268 Overall Height w/o Wing Nut: 20.24 (514) Dust collector: YES Largest housing OD: 10.27 (261) End Connection Height: 3.50 (89) End Connection OD: 5.00 (127) Side Connection Loc: 13.49 (343) Side Connection Height: 3.09 (78) Side Connection OD: 5.00 (127)
AH19042  Disposable Housing Unit Overall Height: 16.38 (416) Largest Housing OD: 12.50 (318) End Connection Height: 1.38 (35) End Connection ID: 6.00 (152)	AH19064  Housing used with AF1606KM, AF1892 Uses service part: 3918202S, 3918220S, Q04192, Q56825, Q56828, Q59111 Overall Height w/o Wing Nut: 17.65 (448) Dust collector: YES Largest housing OD: 6.55 (166) End Connection Height: 2.00 (51) End Connection OD: 3.00 (76) Side Connection Loc: 13.84 (352) Side Connection Height: 1.50 (38) Side Connection OD: 3.00 (76)	AH19069  Uses service part: 3918205S, 3918231S, Q01453, Q04199, Q06316, Q56268 Replacement filter: AF418M Overall Height w/o Wing Nut: 18.48 (469) Dust collector: YES Largest housing OD: 12.07 (307) End Connection Height: 3.50 (89) End Connection OD: 5.00 (127) Side Connection Loc: 9.73 (247) Side Connection Height: 3.09 (78) Side Connection OD: 5.00 (127)
AH19053  DONALDSON ECC065015 Overall Height: 10.38 (264) Largest Housing OD: 6.50 (165) End Connection Height: 1.38 (35) End Connection ID: 2.00 (51)	AH19065  Housing used with AF4059K Uses service part: 3918203S, 3918222S, Q04194, Q06316, Q56825, Q56828, Q80534 Overall Height w/o Wing Nut: 18.05 (458) Dust collector: YES Largest housing OD: 7.89 (200) End Connection Height: 2.50 (64) End Connection OD: 3.50 (89) Side Connection Loc: 13.11 (333) Side Connection Height: 1.50 (38) Side Connection OD: 3.75 (95)	AH19070  Housing used with AF418M, AF490M Uses service part: 3918205S, 3918231S, Q01453, Q04199, Q06316, Q56268 Overall Height w/o Wing Nut: 17.44 (443) Dust collector: YES Largest housing OD: 12.07 (307) End Connection Height: 3.50 (89) End Connection OD: 5.00 (127) Side Connection Loc: 9.75 (248) Side Connection Height: 2.24 (57) Side Connection OD: 5.00 (127)
AH19056  FARR 400028001 Overall Height: 25.72 (653) Largest Housing OD: 11.00 (279) End Connection Height: 1.60 (41) End Connection OD: 7.00 (178)	AH19066  Housing used with AF4059K, AF4103 Uses service part: 3918203S, 3918222S, Q04194, Q06316, Q56825, Q56828, Q80534 Overall Height w/o Wing Nut: 18.05 (458) Dust collector: YES Largest housing OD: 7.89 (200) End Connection Height: 2.50 (64) End Connection OD: 3.50 (89) Side Connection Loc: 13.11 (333) Side Connection Height: 1.50 (38) Side Connection OD: 3.75 (95)	AH19071  Housing used with AF424M Uses service part: 3918206S, 3918234S, Q01453, Q04223, Q06316, Q56268 Overall Height w/o Wing Nut: 21.23 (539) Dust collector: YES Largest housing OD: 14.00 (356) End Connection Height: 2.97 (75) End Connection OD: 6.00 (152) Side Connection Loc: 11.98 (304) Side Connection Height: 3.83 (97) Side Connection OD: 6.00 (152)
AH19057  FARR 114880005 Overall Height: 17.20 (437) Largest housing OD: 8.12 (206) End Connection Height: 1.25 (32) End Connection OD: 4.50 (114) Side Connection Loc: 5.50 (140) Side Connection Height: 1.38 (35) Side Connection OD: 6.00 (152)	AH19067  Housing used with AF434KM Uses service part: 3918205S, 3918227S, Q01453, Q04196, Q06316, Q32418, Q56268 Overall Height w/o Wing Nut: 20.24 (514) Dust collector: YES Largest housing OD: 10.27 (261) End Connection Height: 3.50 (89) End Connection OD: 5.00 (127) Side Connection Loc: 13.49 (343) Side Connection Height: 3.09 (78) Side Connection OD: 5.00 (127)	AH19072  Housing used with AF820M, AF424M Uses service part: 3918206S, 3918234S, Q01453, Q04223, Q06316, Q56268 Overall Height w/o Wing Nut: 21.23 (539) Dust collector: YES Largest housing OD: 14.00 (356) End Connection Height: 2.97 (75) End Connection OD: 6.00 (152) Side Connection Loc: 11.98 (304) Side Connection Height: 3.83 (97) Side Connection OD: 6.00 (152)
AH19061  Housing used with AF1823K Uses service part: 3918201S, 3918219S, Q04190, Q56825, Q56828, Q59111, Q80533 Overall Height w/o Wing Nut: 16.90 (429) Dust collector: YES Largest housing OD: 5.25 (133) End Connection Height: 2.00 (51) End Connection OD: 2.50 (64) Side Connection Loc: 13.15 (334) Side Connection Height: 1.50 (38) Side Connection OD: 2.50 (64)	AH19062  Housing used with AF1823K, AF1824 Uses service part: 3918201S, 3918219S, Q04190, Q56825, Q56828, Q59111, Q80533 Overall Height w/o Wing Nut: 16.90 (429) Dust collector: YES Largest housing OD: 5.25 (133) End Connection Height: 2.00 (51) End Connection OD: 2.50 (64) Side Connection Loc: 13.15 (334) Side Connection Height: 1.50 (38) Side Connection OD: 2.50 (64)	

E. PRODUCT GUIDE

AH19073



Housing used with AF4553M
Uses service part: 3918236S,
Q06316, Q56855

Overall Height w/o Wing Nut: 24.64 (626)
Dust collector: YES
Largest housing OD: 16.10 (409)
End Connection Height: 2.00 (51)
End Connection OD: 7.00 (178)
Side Connection Height: 1.95 (50)
Side Connection OD: 7.00 (178)

AH19074



Housing used with AF4553M,
AF4554M Uses service part:
3918236S, 3918242S,
Q06316, Q56855

Overall Height w/o Wing Nut: 24.64 (626)
Dust collector: YES
Largest housing OD: 16.10 (409)
End Connection Height: 2.00 (51)
End Connection OD: 7.00 (178)
Side Connection Height: 1.95 (50)
Side Connection OD: 7.00 (178)

AH19075



Housing used with AF25544
Uses service part: 3918237S,
Q01428, Q06316

Overall Height w/o Wing Nut: 28.96 (736)
Dust collector: YES
Largest housing OD: 18.12 (460)
End Connection Height: 3.00 (76)
End Connection OD: 8.00 (203)
Side Connection Loc: 20.40 (518)
Side Connection Height: 2.44 (62)
Side Connection OD: 10.00 (254)


AH19076



Housing used with AF25544,
AF25545 Uses service part:
3918237S, 3918244S,
Q01428, Q06316

Overall Height w/o Wing Nut: 28.96 (736)
Dust collector: YES
Largest housing OD: 18.12 (460)
End Connection Height: 3.00 (76)
End Connection OD: 8.00 (203)
Side Connection Loc: 20.40 (518)
Side Connection Height: 2.44 (62)
Side Connection OD: 10.00 (254)

AH19077



Housing used with AF25546
Uses service part: 3918221S,
Q56828, Q80583

AH19078



Housing used with AF25547
Uses service part: 3918224S,
Q56828, Q80693

Overall Height w/o Wing Nut: 21.54 (547)
Largest housing OD: 8.52 (216)
End Connection Height: 2.56 (65)
End Connection OD: 5.00 (127)
Side Connection Loc: 7.17 (182)
Side Connection Height: 2.51 (64)
Side Connection OD: 5.00 (127)

AH19079



Housing used with AF25548
Uses service part: 3918226S,
Q56825, Q56828, Q80695

Overall Height w/o Wing Nut: 22.96 (583)
Largest housing OD: 10.10 (257)
End Connection Height: 3.06 (78)
End Connection OD: 6.00 (152)
Side Connection Loc: 5.45 (138)
Side Connection Height: 2.59 (66)
Side Connection OD: 6.00 (152)

AH19080



Housing used with AF25549
Uses service part: 3918230S,
Q56828, Q80697

Overall Height w/o Wing Nut: 22.96 (583)
Largest housing OD: 11.81 (300)
End Connection Height: 3.20 (81)
End Connection OD: 6.00 (152)
Side Connection Loc: 5.26 (134)
Side Connection Height: 4.14 (105)
Side Connection OD: 7.00 (178)

AH19081



Housing used with AF25550
Uses service part: 3918199S,
Q06470, Q760311

Side Opening Offset: 1.43 (36)
Overall Height: 9.65 (245)
Dust collector: YES
Largest housing OD: 5.28 (134)
End Connection OD: 1.75 (44)
Side Connection Loc: 5.97 (152)
Side Connection Height: 0.61 (15)
Side Connection OD: 1.75 (44)

AH19082



Housing used with AF25550
Uses service part: 3918199S,
Q06470, Q760311

Side Opening Offset: 1.43 (36)
Overall Height: 9.62 (244)
Dust collector: YES
Largest housing OD: 5.28 (134)
End Connection OD: 1.75 (44)
Side Connection Loc: 5.97 (152)
Side Connection Height: 0.61 (15)
Side Connection OD: 1.75 (44)

AH19083



Housing used with AF25551
Uses service part: 3918198S,
Q06470, Q760311

Side Opening Offset: 1.75 (44)
Overall Height: 13.20 (335)
Dust collector: YES
Largest housing OD: 6.24 (158)
End Connection OD: 2.00 (51)
Side Connection Loc: 9.27 (235)
Side Connection Height: 0.70 (18)
Side Connection OD: 2.00 (51)

AH19084



NELSON 75584N Housing
used with AF25551, AF25552
Uses service part: 3918198S,
Q06470, Q760311

Side Opening Offset: 1.75 (44)
Overall Height: 13.18 (335)
Dust collector: YES
Largest housing OD: 6.24 (158)
End Connection OD: 2.00 (51)
Side Connection Loc: 9.27 (235)
Side Connection Height: 0.70 (18)
Side Connection OD: 2.00 (51)

AH19085



NELSON 75591N Housing
used with AF25551 Uses
service part: 3918198S,
Q06470, Q760311

Side Opening Offset: 1.75 (44)
Overall Height: 14.14 (359)
Dust collector: YES
Largest housing OD: 6.24 (158)
End Connection OD: 2.00 (51)
Side Connection Loc: 9.27 (235)
Side Connection Height: 0.70 (18)
Side Connection OD: 2.00 (51)

AH19086



Housing used with AF25551,
AF25552 Uses service part:
3918198S, Q06470, Q760311

Side Opening Offset: 1.75 (44)
Overall Height: 14.14 (359)
Dust collector: YES
Largest housing OD: 6.24 (158)
End Connection OD: 2.00 (51)
Side Connection Loc: 9.27 (235)
Side Connection Height: 0.70 (18)
Side Connection OD: 2.00 (51)

AH19087



Housing used with AF25553
Uses service part: 3918196S,
Q06470

Side Opening Offset: 2.06 (52)
Overall Height: 14.76 (375)
Dust collector: YES
Largest housing OD: 6.68 (170)
End Connection OD: 2.50 (64)
Side Connection Loc: 10.80 (274)
Side Connection Height: 1.07 (27)
Side Connection OD: 2.50 (64)

AH19088



Housing used with AF25553,
AF25554 Uses service part:
3918196S, Q06470

Side Opening Offset: 2.06 (52)
Overall Height: 14.78 (375)
Dust collector: YES
Largest housing OD: 6.68 (170)
End Connection OD: 2.50 (64)
Side Connection Loc: 10.80 (274)
Side Connection Height: 1.07 (27)
Side Connection OD: 2.50 (64)

AH19089



Housing used with AF25553
Uses service part: Q06470

Side Opening Offset: 2.06 (52)
Overall Height: 16.19 (411)
Dust collector: YES
Largest housing OD: 6.68 (170)
End Connection OD: 2.50 (64)
Side Connection Loc: 10.80 (274)
Side Connection Height: 1.07 (27)
Side Connection OD: 2.50 (64)



AH19090



NELSON 765010N Housing
used with AF25554, AF25553
Uses service part: 3918196S,
Q06470

Side Opening Offset: 2.06 (52)
Overall Height: 16.19 (411)
Dust collector: YES
Largest housing OD: 6.68 (170)
End Connection OD: 2.50 (64)
Side Connection Loc: 10.80 (274)
Side Connection Height: 1.07 (27)
Side Connection OD: 2.50 (64)

E. PRODUCT GUIDE

AH19091  Housing used with AF25555 Uses service part: Q06470, Q206002 Side Opening Offset: 1.98 (50) Overall Height: 15.46 (393) Dust collector: YES Largest housing OD: 8.10 (206) End Connection OD: 3.00 (76) Side Connection Loc: 11.41 (290) Side Connection Height: 0.83 (21) Side Connection OD: 3.00 (76)	AH19097  Housing used with AF25557 Uses service part: 3918197S Side Opening Offset: 2.23 (57) Overall Height: 18.63 (473) Dust collector: YES Largest housing OD: 9.26 (235) End Connection OD: 3.50 (89) Side Connection Loc: 12.02 (305) Side Connection Height: 0.80 (20) Side Connection OD: 3.75 (95)	AH19108  Housing used with AF25543K Uses service part: 3918200S, 3918219S, Q04190, Q56825, Q56828, Q59111, Q80661 Overall Height w/o Wing Nut: 12.85 (326) Dust collector: YES Largest housing OD: 5.25 (133) End Connection Height: 2.00 (51) End Connection OD: 2.00 (51) Side Connection Loc: 9.35 (237) Side Connection Height: 1.50 (38) Side Connection OD: 2.00 (51)
AH19092  Housing used with AF25555, AF25556 Uses service part: Q06470, Q206002 Side Opening Offset: 1.98 (50) Overall Height: 15.46 (393) Dust collector: YES Largest housing OD: 8.10 (206) End Connection OD: 3.00 (76) Side Connection Loc: 11.41 (290) Side Connection Height: 0.83 (21) Side Connection OD: 3.00 (76)	AH19098  Housing used with AF25557, AF25558 Uses service part: 3918197S Side Opening Offset: 2.23 (57) Overall Height: 18.63 (473) Dust collector: YES Largest housing OD: 9.26 (235) End Connection OD: 3.50 (89) Side Connection Loc: 12.02 (305) Side Connection Height: 0.80 (20) Side Connection OD: 3.75 (95)	AH19109  Housing used with AF437KM, AF437K Uses service part: 3918201S, 3918220S, Q04192, Q56825, Q56828, Q59111 Overall Height w/o Wing Nut: 13.65 (347) Dust collector: YES End Connection Height: 2.00 (51) End Connection OD: 2.25 (57) Side Connection Loc: 1.81 (46) Side Connection OD: 2.50 (64)
AH19093  Housing used with AF25555 Uses service part: Q06470, Q206002 Side Opening Offset: 1.98 (50) Overall Height: 17.38 (441) Dust collector: YES Largest housing OD: 8.10 (206) End Connection OD: 3.00 (76) Side Connection Loc: 11.41 (290) Side Connection Height: 0.83 (21) Side Connection OD: 3.00 (76)	AH19099  Housing used with AF954M Uses service part: Q01368, Q79002 Overall Height: 30.10 (765) Largest housing OD: 12.38 (314) End Connection OD: 7.00 (178) Side Connection Loc: 8.00 (203) Side Connection Height: 1.81 (46) Side Connection OD: 6.00 (152)	AH19110  Housing used with AF409KM, AF409K Uses service part: 3918202S, 3918222S, Q04194, Q06316, Q56825, Q56828, Q80534 Overall Height w/o Wing Nut: 14.50 (368) Dust collector: YES Largest housing OD: 7.89 (200) End Connection Height: 2.00 (51) End Connection OD: 3.00 (76) Side Connection Loc: 10.44 (265) Side Connection Height: 1.50 (38) Side Connection OD: 3.00 (76)
AH19094  Housing used with AF25556, AF25555 Uses service part: Q06470, Q206002 Side Opening Offset: 1.98 (50) Overall Height: 17.38 (441) Dust collector: YES Largest housing OD: 8.10 (206) End Connection OD: 3.00 (76) Side Connection Loc: 11.41 (290) Side Connection Height: 0.83 (21) Side Connection OD: 3.00 (76)	AH19100  Housing used with AF954M Uses service part: Q01368, Q79002 Overall Height: 30.10 (765) Largest housing OD: 12.38 (314) End Connection OD: 7.00 (178) Side Connection Loc: 8.00 (203) Side Connection Height: 1.81 (46) Side Connection OD: 6.00 (152)	AH19113  Overall Height w/o Wing Nut: 28.28 (718) Largest housing OD: 16.00 (406) End Connection Height: 3.87 (98) End Connection OD: 7.00 (178) Side Connection Height: 2.25 (57) Side Connection OD: 7.00 (178)
AH19095  Housing used with AF25557 Uses service part: 3918197S Side Opening Offset: 2.23 (57) Overall Height: 16.23 (412) Dust collector: YES Largest housing OD: 9.26 (235) End Connection OD: 3.50 (89) Side Connection Loc: 12.02 (305) Side Connection Height: 0.80 (20) Side Connection OD: 3.75 (95)	AH19104  Housing used with AF1616 Uses service part: Q01368 Overall Height: 32.95 (837) Largest housing OD: 13.20 (335) Side Connection Loc: 18.44 (468) Side Connection Height: 3.60 (91) Side Connection OD: 6.00 (152)	AH19115  CUMMINS 4001508 Housing used with AF25593 Overall Height: 16.04 (408) Outlet OD: 6.89 (175) Length: 26.85 (682) Width: 16.04 (408)
AH19096  Housing used with AF25557, AF25558 Uses service part: 3918197S Side Opening Offset: 2.23 (57) Overall Height: 16.23 (412) Dust collector: YES Largest housing OD: 9.26 (235) End Connection OD: 3.50 (89) Side Connection Loc: 12.02 (305) Side Connection Height: 0.80 (20) Side Connection OD: 3.75 (95)	AH19106  Housing used with AF1616 Uses service part: Q01368 Overall Height: 32.95 (837) Largest housing OD: 13.20 (335) Side Connection Loc: 18.44 (468) Side Connection Height: 3.82 (97) Side Connection OD: 6.00 (152)	AH19113  Overall Height w/o Wing Nut: 28.28 (718) Largest housing OD: 16.00 (406) End Connection Height: 3.87 (98) End Connection OD: 7.00 (178) Side Connection Height: 2.25 (57) Side Connection OD: 7.00 (178)
	AH19107  Housing used with AF1658K Uses service part: 3918218S, Q04188, Q33456, Q56880, Q59111 Overall Height w/o Wing Nut: 8.50 (216) Dust collector: YES Largest housing OD: 4.57 (116) End Connection Height: 1.00 (25) End Connection OD: 1.75 (44) Side Connection Loc: 6.00 (152) Side Connection Height: 1.21 (31) Side Connection OD: 1.75 (44)	AH19220  DONALDSON HOUSINGS ECC125004 Overall Height: 12.38 (314) Largest Housing OD: 12.50 (318) End Connection Height: 1.38 (35) End Connection ID: 5.00 (127)

E. PRODUCT GUIDE



FARR 117122000

Overall Height: 25.60 (650)
Largest Housing OD: 13.50 (292)
End Connection Height: 1.60 (41)
End Connection OD: 7.50 (191)

AH19223



Overall Height: 16.72 (425)
Largest housing OD: 13.50 (343)
End Connection Height: 1.60 (41)
End Connection OD: 7.00 (178)
Side Connection Loc: 9.50 (241)
Side Connection Height: 1.85 (47)
Side Connection OD: 7.00 (178)

AH19228



INGERSOLL-RAND 8524575, DONALDSON D045003

Overall Height: 5.88 (149)
Largest Housing OD: 4.50 (114)
End Connection Height: 1.38 (35)
End Connection ID: 1.50 (38)

AH19232



DONALDSON HOUSINGS ECC065002

Overall Height: 8.88 (226)
Largest Housing OD: 6.50 (165)
End Connection Height: 1.38 (35)
End Connection ID: 2.00 (51)

AH19257



CUMMINS 140328801 Uses service part: 3935421S

Overall Height: 23.81 (605)
Largest Housing OD: 14.11 (358)
End Connection Height: 3.13 (80)
End Connection OD: 7.13 (181)

AH19258

NEOPLAN J020200 Air
Housing with no Dust Collector

Overall Height w/o Wing Nut: 22.96 (583)
Largest housing OD: 14.10 (358)
End Connection Height: 2.45 (62)
End Connection OD: 7.00 (178)
Side Connection Loc: 15.25 (387)
Side Connection Height: 0.00 (0)
Side Connection OD: 7.00 (178)

AH19259



Housing used with AF1828, AF1894M Air Housing with Dust Collector

Overall Height w/o Wing Nut: 25.05 (636)
Dust collector: YES
Largest housing OD: 14.10 (358)
End Connection Height: 3.00 (76)
End Connection OD: 6.00 (152)
Side Connection Loc: 3.75 (95)
Side Connection Height: 3.00 (-76)
Side Connection OD: 6.00 (152)

AH19260



Housing used with AF25960, AF25961 Uses service part: 3946462S OptiAir 800 Series Air Housing Systems. 8" plastic, w/safety, straight.

Overall Height: 14.49 (368)
Largest housing OD: 9.21 (234)
End Connection OD: 4.00 (102)
Side Connection OD: 3.75 (95)

AH19261



Housing used with AF25960 Uses service part: 3946462S OptiAir 800 Series Air Housing Systems. 8" plastic, w/o safety, straight.

Overall Height: 14.49 (368)
Largest housing OD: 9.21 (234)
End Connection OD: 4.00 (102)
Side Connection OD: 3.75 (95)

AH19262



Housing used with AF25746 Uses service part: 3932494S, 3932495S

Side Opening Offset: 2.39 (61)
Overall Height: 19.52 (496)
Dust collector: YES
Largest housing OD: 12.17 (309)
End Connection OD: 4.50 (114)
Side Connection Loc: 14.18 (360)
Side Connection Height: 0.92 (23)
Side Connection OD: 5.00 (127)

AH19263



Housing used with AF25746 Uses service part: 3932494S, 3932495S

Side Opening Offset: 2.39 (61)
Overall Height: 19.52 (496)
Dust collector: YES
Largest housing OD: 12.17 (309)
End Connection OD: 4.50 (114)
Side Connection Loc: 14.18 (360)
Side Connection Height: 0.92 (23)
Side Connection OD: 5.00 (127)

AH19266



Housing used with AF25708M, 3935422S Similar to the AH19257 with flame retardant material

Overall Height: 23.81 (605)
Largest Housing OD: 14.11 (358)
End Connection Height: 3.13 (80)
End Connection OD: 7.13 (181)

AH19267



Housing used with AF1733K, AF4103

Overall Height w/o Wing Nut: 18.51 (470)
Dust collector: YES
Largest housing OD: 7.89 (200)
End Connection Height: 2.50 (64)
End Connection OD: 3.50 (89)
Side Connection Loc: 2.44 (62)
Side Connection Height: 0.00 (0)
Side Connection OD: 3.75 (95)

AH19268

Housing used with AF1733K

Overall Height w/o Wing Nut: 18.51 (470)
Dust collector: YES
Largest housing OD: 7.89 (200)
End Connection Height: 2.50 (64)
End Connection OD: 3.50 (89)
Side Connection Loc: 2.44 (62)
Side Connection Height: 0.00 (0)
Side Connection OD: 3.75 (95)

AH19269



Housing used with AF1735K

Overall Height w/o Wing Nut: 19.80 (503)
Dust collector: YES
Largest housing OD: 9.47 (241)
End Connection Height: 2.40 (61)
End Connection OD: 4.00 (102)
Side Connection Loc: 2.70 (69)
Side Connection Height: 2.20 (-56)
Side Connection OD: 4.00 (102)

AH19270



NELSON 79090A

Overall Height w/o Wing Nut: 19.80 (503)
Dust collector: YES
Largest housing OD: 8.95 (227)
End Connection Height: 2.40 (61)
End Connection OD: 4.00 (102)
Side Connection Loc: 2.70 (69)
Side Connection Height: 1.94 (-49)
Side Connection OD: 4.00 (102)

AH19271



CUMMINS 10000128

Overall Height w/o Wing Nut: 21.90 (556)
Dust collector: YES
Largest housing OD: 11.81 (300)
End Connection Height: 3.46 (88)
End Connection OD: 5.00 (127)
Side Connection Loc: 14.94 (379)
Side Connection Height: 2.87 (73)
Side Connection OD: 6.00 (152)

AH19272



Housing used with AF4754

Overall Height w/o Wing Nut: 21.90 (556)
Dust collector: YES
Largest housing OD: 11.81 (300)
End Connection Height: 3.46 (88)
End Connection OD: 5.00 (127)
Side Connection Loc: 14.94 (379)
Side Connection Height: 2.87 (73)
Side Connection OD: 6.00 (152)

AH19273



Housing used with AF25708M Uses service part: 3936445S

Overall Height: 23.95 (608)
Largest Housing OD: 14.11 (358)
End Connection Height: 3.13 (80)
End Connection OD: 7.13 (181)

AH19274



Housing used with AF25708M Uses service part: 3936445S

Side Opening Offset: 3.58 (91)
Overall Height: 23.95 (608)
Largest housing OD: 14.11 (358)
End Connection OD: 7.00 (178)
Side Connection Loc: 7.50 (191)
Side Connection Height: 1.20 (30)
Side Connection OD: 8.00 (203)




AH19322



CUMMINS 4090571 Housing used with AF947

Height: 17.67 (449)
Overall OD: 11.18 (284)

E. PRODUCT GUIDE

AH19323  Housing used with AF25877, AF25878 Overall Height w/o Wing Nut: 23.31 (592) Dust collector: YES Largest housing OD: 14.02 (356) End Connection Height: 1.50 (38) End Connection OD: 5.51 (140) Side Connection Loc: 17.62 (447) Side Connection Height: 6.99 (178) Side Connection OD: 6.00 (152)	AH19333  Housing used with AF25962 Uses service part: 3946465S OptiAir 1100 Series. 11" plastic, w/o safety, straight.	AH19480  Housing used with AF26124 Uses service part: 3946467S OptiAir 1300 Series System with Twist Lock, Straight Outlet, Primary Only Overall Height: 23.03 (585) Dust collector: YES Largest housing OD: 14.02 (356) End Connection OD: 7.00 (178) Side Connection OD: 7.00 (178)
AH19324  Housing used with AF4674, AF4675 Overall Height w/o Wing Nut: 30.62 (778) Dust collector: YES Largest housing OD: 16.00 (406) End Connection Height: 2.24 (57) End Connection OD: 6.00 (152) Side Connection Loc: 23.64 (600) Side Connection Height: 5.00 (127) Side Connection OD: 7.00 (178)	AH19334  Housing used with AF25963, AF25962 Uses service part: 3946465S OptiAir 1100 Series. 11" plastic, w/safety, straight.	AH19481  Housing used with AF26124, AF26125 Uses service part: 3946467S OptiAir 1300 Series with Twist Lock, Straight Outlet, Primary and Safety. Overall Height: 23.03 (585) Dust collector: YES Largest housing OD: 14.02 (356) End Connection OD: 7.00 (178) Side Connection OD: 7.00 (178)
AH19325  CUMMINS 3103261 Housing used with AF928M Overall Height: 18.95 (481) Largest Housing OD: 15.95 (405) End Connection Height: 1.50 (38) End Connection ID: 5.50 (140)	AH19474  Housing used with AF26116 Uses service part: 3946459S OptiAir 400 Series Air Housing Systems. 4" plastic, w/o safety, straight. Overall Height: 7.44 (189) Largest housing OD: 5.42 (138) End Connection OD: 2.00 (51) Side Connection OD: 2.00 (51)	AH19482  Housing used with AF26168, AF26166 Uses service part: 3946460S OptiAir 500 Series with Twist Lock, Straight Outlet, Primary and Safety. Side Opening Offset: 1.87 (47) Overall Height: 7.98 (203) Dust collector: YES Largest housing OD: 6.41 (163) End Connection OD: 2.50 (64) Side Connection Loc: 1.50 (38) Side Connection Height: 1.56 (-40) Side Connection OD: 2.50 (64)
AH19326  CUMMINS 3103262 Housing used with AF928M Overall Height: 18.94 (481) Largest housing OD: 15.95 (405) End Connection Height: 1.42 (36) End Connection OD: 5.62 (143) Side Connection Loc: 12.76 (324) Side Connection Height: 4.78 (121) Side Connection OD: 7.00 (178)	AH19476  Housing used with AF26117 Uses service part: 3946461S OptiAir 600 Series Air Housing Systems. 6" plastic, w/o safety, straight. Overall Height: 12.87 (327) Largest housing OD: 7.57 (192) End Connection OD: 3.00 (76) Side Connection OD: 3.00 (76)	AH19483  Housing used with AF26168 Uses service part: 3946460S OptiAir 500 Series Air Housing Systems. 5" plastic, w/o safety, straight. Overall Height: 11.18 (284) Largest housing OD: 6.41 (163) End Connection OD: 2.50 (64) Side Connection OD: 2.50 (64)
AH19327  CUMMINS 4095069 Housing used with AF872 Overall Height: 20.81 (529) Largest housing OD: 16.00 (406) End Connection Height: 2.50 (64) End Connection OD: 7.00 (178) Side Connection Loc: 12.99 (330) Side Connection Height: 4.99 (127) Side Connection OD: 8.00 (203)	AH19477  Housing used with AF26117, AF26118 Uses service part: 3946461S OptiAir 600 Series with Twist Lock, Straight Outlet, Safety Element. Overall Height: 12.87 (327) Largest housing OD: 7.56 (192) End Connection OD: 3.00 (76) Side Connection OD: 3.00 (76)	AH19484  Housing used with AF26116, AF26167 Uses service part: 3946459S OptiAir 400 Series with Twist Lock, 90 Degree Elbow, Primary and Safety. Overall Height: 7.44 (189) Largest housing OD: 5.42 (138) End Connection OD: 1.97 (50) Side Connection OD: 2.00 (51)
AH19330  Housing used with AF25959 5" Opti-Air	AH19478  Housing used with AF26120 Uses service part: 3946463S OptiAir 1000 Series. 10" plastic, w/o safety, straight.	AH19485  Housing used with AF26116 Uses service part: 3946459S OptiAir 400 Series Air Housing Systems. 4" plastic, w/o safety, 90 elbow. Overall Height: 7.44 (189) Largest housing OD: 5.42 (138) End Connection OD: 2.00 (51) Side Connection OD: 2.00 (51)
AH19331  Housing used with AF25960, AF25961 8" Opti-Air 600 Series	AH19479  Housing used with AF26120, AF26121 Uses service part: 3946463S OptiAir 1000 Series. 10" plastic, w/safety, straight.	
AH19332  Housing used with AF25960 8" OptiAir 600 Series		

AH19486	Housing used with AF26168, AF26166 Uses service part: 3946460S OptiAir 500 Series with Twist Lock, 90 Degree Elbow, Primary and Safety. Side Opening Offset: 1.87 (47) Overall Height: 7.98 (203) Dust collector: YES Largest housing OD: 6.41 (163) End Connection OD: 2.50 (64) Side Connection Loc: 1.50 (38) Side Connection Height: 1.54 (-39) Side Connection OD: 2.50 (64)
AH19487	Housing used with AF26168 Uses service part: 3946460S OptiAir 500 Series Air Housing Systems. 5" plastic, w/o safety, 90 elbow. Overall Height: 11.18 (284) Largest housing OD: 6.41 (163) End Connection OD: 2.50 (64) Side Connection OD: 2.50 (64)
AH19488	Housing used with AF26117, AF26118 Uses service part: 3946461S OptiAir 600 Series Air Housing Systems. 6" plastic, w/safety, 90 elbow. Overall Height: 12.87 (327) Largest housing OD: 7.56 (192) End Connection OD: 3.00 (76) Side Connection OD: 3.00 (76)
AH19489	Housing used with AF26117 Uses service part: 3946461S OptiAir 600 Series Air Housing Systems. 6" plastic, w/o safety, 90 elbow. Overall Height: 12.87 (327) Largest housing OD: 7.56 (192) End Connection OD: 3.00 (76) Side Connection OD: 3.00 (76)
AH19490	Housing used with AF25960, AF25961 Uses service part: 3946462S OptiAir 800 Series Air Housing Systems. 8" plastic, w/safety, 90 elbow. Overall Height: 14.49 (368) Largest housing OD: 9.21 (234) End Connection OD: 3.50 (89) Side Connection OD: 3.75 (95)
AH19491	Housing used with AF25960 Uses service part: 3946462S OptiAir 800 Series Air Housing Systems. 8" plastic, w/o safety, 90 elbow. Overall Height: 14.48 (368) Largest housing OD: 9.21 (234) End Connection OD: 3.50 (89) Side Connection OD: 3.75 (95)
AH19496	Housing used with AF26116, AF26167 Uses service part: 3946459S OptiAir 400 Series with Twist Lock, Straight Outlet, Primary and Safety. Overall Height: 7.44 (189) Largest housing OD: 5.42 (138) End Connection OD: 2.00 (51) Side Connection OD: 2.00 (51)

AH19497	ALASKA DIESEL 2426804 Overall Height: 10.38 (264) Largest Housing OD: 12.50 (318) End Connection Height: 1.38 (35) End Connection ID: 5.50 (140)
Air Kits	
AK1	Bracket Assy For AF4512 (3839975 Wing nut included) (3311624 Bolt seal included) Gasket: 3311272
AK2	Bracket Assy For AF4513 (3839975 Wing nut included) (3311624 Bolt seal included) Gasket: 3830152
AK3	Bracket Assy For AF4513 (3839975 Wing nut included) (3311624 Bolt seal included) Gasket: 3830152
AK4	Bracket Assy For AF4526 (3839975 Wing nut included) (3830152 Gasket included) (3311624 Bolt seal included)
AK5	Uses service part: 3316438S Bracket Assy For AF4514 (3839975 Wing nut included) (3311624 Bolt seal included) Gasket: 3316438
AK6	Uses service part: 3316438S Bracket Assy For AF4515 (3839975 Wing nut included) (3311624 Bolt seal included) Gasket: 3316438
AK8	Bracket Assy For AF4516 (3839974 Wing nut included) (3311624 Bolt seal included) Gasket: 3316436
AK9	Bracket Assy For AF4512 (3839975 Wing nut included) (3832957 Gasket included) (3311624 Bolt seal included)
AK11	Uses service part: 3316438S Bracket Assy For AF4514 (3839974 Wing nut included) (3311624 Bolt seal included) Gasket: 3316438
AK12	Bracket Assy For AF4526 (3839975 Wing nut included) (3311624 Bolt seal included) Gasket: 3830152

AK13	Bracket Assy For AF4771 (3839975 Wing nut included) (3311624 Bolt seal included) Gasket: 3834172
AK14	Uses service part: 3947659S 500 Series OptiAir A-Series Air Filter Kit without Safety and with Weatherhood
AK15	Uses service part: 3947658S 600 Series OptiAir A-Series Air Filter Kit without Safety and with Weatherhood
AK17	Uses service part: 394694S 500 Series OptiAir Air Cleaner Kit with Safety Element and Weatherhood.
Air Filters	
AP2000	Uses service part: 3910200S, 3920138S, 3920175S Visibowl Air Precleaners with 2" Inlet OD and 30-90 CFM range. Intake Diameter: 2.00 (51) Height: 4.80 (122) Overall OD: 5.60 (142)
AP3000	Uses service part: 3910300S Visibowl Air Precleaners with 3" Inlet OD and 80-170 CFM range. Intake Diameter: 3.00 (76) Height: 6.20 (157) Overall OD: 7.40 (188)
AP4500	Uses service part: 3910450S Visibowl Air Precleaners with 4.5" Inlet OD and 150-340 CFM range. Intake Diameter: 4.50 (114) Height: 7.70 (196) Overall OD: 10.70 (272)
AP5000	Uses service part: 3910500S, 3950600S Visibowl Air Precleaners with 5" Inlet OD and 330-740 CFM range. Intake Diameter: 5.00 (127) Height: 7.70 (196) Overall OD: 12.10 (307)
AP8403	SY-KLONE 9001 Uses service part: 3904837S, 3904838S, 3904839S SY-KLONE Centrifugal Precleaners for 100-350 CFM4" Intake Height: 6.29 (160) Cross Section: 0.00 (0) End 1 OD: 8.51 (216) End 2 OD: 0.00 (0) End 1 ID: 0.00 (0) End 2 ID: 4.03 (102)

E. PRODUCT GUIDE

AP8404  SY-KLONE 9002 Uses service part: 3904840S, 3904841S, 3904842S SY-KLONE Centrifugal Precleaners for 400-625 CFM6" Intake Height: 11.10 (282) Cross Section: 0.00 (0) End 1 OD: 13.06 (332) End 2 OD: 0.00 (0) End 1 ID: 0.00 (0) End 2 ID: 6.04 (153)	AP85042 SY-KLONE 9502LF002 Optimax Dual Stage PrecleanerConsists of: AP8404, 3939411S, 3939412S, 3953521S, 3946090S, 3953530S, 3952334S, 3952353S AP85043 SY-KLONE 9502003 Optimax Dual Stage PrecleanerConsists of: AP8404, 3939412S, 3953525S AP85044 SY-KLONE 9502004 Optimax Dual Stage PrecleanerConsists of: AP8404, 3939412S, 3953526S 	AP85057 SY-KLONE 9503LF007 Optimax Dual Stage PrecleanerConsists of: AP8405, 3946105S, 3952350S, 3953528S, 3946089S AP85058 SY-KLONE 9503LF008 Optimax Dual Stage PrecleanerConsists of: AP8405, 3946105S, 3952350S, 3953527S, 3946089S AP85061 SY-KLONE 9504LF001 Optimax Dual Stage PrecleanerConsists of: AP8406, 3953535S, 3952353S, 3953518S, 3953544S, 3952351S, 3953529S AP85062 SY-KLONE 9504LF002 Optimax Dual Stage PrecleanerConsists of: AP8406, 3946105S, 3952350S, 3953527S, 3946089S AP85063 SY-KLONE 9504003 Optimax Dual Stage PrecleanerConsists of: AP8406, 3952350S, 3953527S AP85064 SY-KLONE 9504004 Optimax Dual Stage PrecleanerConsists of: AP8406, 3952350S, 3953528S AP85101 SY-KLONE 9502R01 Optimax Dual Stage PrecleanerConsists of: AP8410, 3939412S, 3953525S AP85102 SY-KLONE 9502R002 Optimax Dual Stage PrecleanerConsists of: AP8410, 3939412S, 3953526S AP85104 SY-KLONE 9502RLF004 Optimax Dual Stage PrecleanerConsists of: AF4810, 3939412S, 3953525S, 3939411S, 3946090S AP85105 SY-KLONE 9502RLF005 Optimax Dual Stage PrecleanerConsists of: AP8410, 3939412S, 3953526S, 3939411S, 3946090S AP85152 SY-KLONE 9503LF002 Optimax Dual Stage PrecleanerConsists of: AF8405, 3946107S, 3946109S, 3953522S, 3946089S, 3953529S, 3952334S, 3953535S, 3952353S
AP8405  SY-KLONE 9003 Uses service part: 3905073S, 3905074S, 3905075S SY-KLONE Centrifugal Precleaner for 800-1300 CFM8" Intake Height: 14.44 (367) Cross Section: 0.00 (0) End 1 OD: 18.00 (457) End 2 OD: 0.00 (0) End 1 ID: 0.00 (0) End 2 ID: 8.06 (205)	AP85046 SY-KLONE 9502RLF006 Optimax Dual Stage PrecleanerConsists of: AP8404, 3939412S, 3953526S, 3939411S, 3946090S AP85047 SY-KLONE 9502RLF007 Optimax Dual Stage PrecleanerConsists of: AP8404, 3939412S, 3953525S, 3939411S, 3946090S AP85051 SY-KLONE 9503LF001 Optimax Dual Stage PrecleanerConsists of: AP8405, 3946105S, 3952350S, 3953523S, 3946089S, 3953535S, 3952334S, 3952353S AP85052 SY-KLONE 9503002 Optimax Dual Stage PrecleanerConsists of: AP8405, 3952350S, 3953527S AP85053 SY-KLONE 9503LF003 Optimax Dual Stage PrecleanerConsists of: AP8405, 3946105S, 3952350S, 3953524S, 3946089S, 3953535S, 3952353S AP85054 SY-KLONE 9503004 Optimax Dual Stage PrecleanerConsists of: AP8405, 3952350S, 3953528S AP85055 SY-KLONE 9503LF005 Optimax Dual Stage PrecleanerConsists of: AP8405, 3946105S, 3952350S, 3953527S, 3946089S, 3952361S, 3952362S, 3952351S, 3952363S, 3953533S	
AP8406  SY-KLONE 9004 Uses service part: 3905073S, 3905074S, 3905075S, 3918243S SY-KLONE Centrifugal Precleaners for 1300-1800 CFM8" Intake Height: 14.44 (367) End 1 OD: 18.00 (457) End 2 ID: 8.06 (205)	AP8407  Uses service part: 3918239S SY-KLONE Centrifugal Precleaners for 10-50 CFM2" Intake Height: 2.50 (64) End 2 OD: 4.50 (114) End 2 ID: 2.02 (51)	
AP8407  Uses service part: 3918239S SY-KLONE Centrifugal Precleaners for 10-50 CFM2" Intake Height: 2.50 (64) End 2 OD: 4.50 (114) End 2 ID: 2.02 (51)	AP8408  Uses service part: 3918240S SY-KLONE Centrifugal Precleaners for 50-120 CFM3" Intake Height: 4.20 (107) End 2 OD: 6.70 (170) End 2 ID: 3.02 (77)	
AP8408  Uses service part: 3918240S SY-KLONE Centrifugal Precleaners for 50-120 CFM3" Intake Height: 4.20 (107) End 2 OD: 6.70 (170) End 2 ID: 3.02 (77)	AP8409  Uses service part: 3904837S, 3904838S, 3904839S SY-KLONE Centrifugal Precleaners for 350-425 CFM4" Intake Height: 6.29 (160) End 2 OD: 8.50 (216) End 2 ID: 4.03 (102)	
AP8409  Uses service part: 3904837S, 3904838S, 3904839S SY-KLONE Centrifugal Precleaners for 350-425 CFM4" Intake Height: 6.29 (160) End 2 OD: 8.50 (216) End 2 ID: 4.03 (102)	AP8410  Uses service part: 3904840S, 3904841S, 3904842S SY-KLONE Centrifugal Precleaners for 650-825 CFM6" Intake Height: 11.10 (282) End 2 OD: 13.06 (332) End 2 ID: 6.04 (153)	
AP8410  Uses service part: 3904840S, 3904841S, 3904842S SY-KLONE Centrifugal Precleaners for 650-825 CFM6" Intake Height: 11.10 (282) End 2 OD: 13.06 (332) End 2 ID: 6.04 (153)	AP85041 SY-KLONE 9502LF001 Optimax Dual Stage PrecleanerConsists of: AP8404, 3939411S, 3939412S, 3953520S, 3946090S, 3953535S, 3952334S, 3952353S	

E. PRODUCT GUIDE

AP85154 SY-KLONE 9503LF004
Optimax Dual Stage
Precleaner Consists of:
AP8405, 3946105S,
3952350S, 3953519S,
3940689S, 3952360S,
3952361S, 3953535S,
3953530S

AP85163 SY-KLONE 9504LF003
Optimax Dual Stage
Precleaner Consists of:
AF8406, 3946105S,
3952350S, 3953528S,
3946089S

Air/Oil Separators

AS2200 ATLAS COPCO 16132433



Overall Height: 12.50 (318)
Flange Diameter: 11.81 (300)
End 2 OD: 6.75 (171)
End 1 ID: 4.81 (122)
Thread Size: M8 X 1.25-6H INT

AS2201 ATLAS COPCO 16162836



Overall Height: 18.88 (480)
Flange Diameter: 11.81 (300)
End 2 OD: 6.75 (171)
End 1 ID: 4.81 (122)
Thread Size: M8 X 1.25-6H INT

AS2202 ATLAS COPCO 22526313



Overall Height: 32.21 (818)
Flange Diameter: 15.75 (400)
End 2 OD: 10.88 (276)
End 1 ID: 8.38 (213)

AS2203 ATLAS COPCO 16195498



Overall Height: 9.00 (229)
Flange Diameter: 8.62 (219)
End 2 OD: 6.62 (168)
End 1 ID: 4.12 (105)
Thread Size: M8 X 1.25-6H INT

AS2205 DAVEY 48773



Overall Height: 10.69 (272)
Flange Diameter: 12.00 (305)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)

AS2206 DAVEY 48775



Overall Height: 15.31 (389)
Flange Diameter: 14.25 (362)
End 2 OD: 10.38 (264)
End 1 ID: 7.88 (200)

AS2207 DAVEY 48776



Overall Height: 25.19 (640)
Flange Diameter: 18.62 (473)
End 2 OD: 14.88 (378)
End 1 ID: 12.38 (314)

AS2208 DAVEY 49593



Overall Height: 18.25 (464)
Flange Diameter: 13.75 (349)
End 2 OD: 10.88 (276)
End 1 ID: 8.38 (213)

AS2211 GARDNER-DENVER 55B7



Overall Height: 8.25 (210)
Flange Diameter: 10.38 (264)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)

AS2212 GARDNER-DENVER 55B13



Overall Height: 23.47 (596)
Flange Diameter: 12.00 (305)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)

AS2213 GARDNER-DENVER 55B4



Overall Height: 23.47 (596)
Flange Diameter: 12.00 (305)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)

AS2214 GARDNER-DENVER 55B8



Overall Height: 14.56 (370)
Flange Diameter: 5.50 (140)
End 2 OD: 4.00 (102)
End 1 ID: 2.00 (51)

AS2215 GARDNER-DENVER 55B9



Overall Height: 19.14 (486)
Flange Diameter: 5.50 (140)
End 2 OD: 4.00 (102)
End 1 ID: 2.00 (51)

AS2217 GARDNER-DENVER 2014828



Overall Height: 16.94 (430)
Flange Diameter: 12.00 (305)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)

AS2218 GARDNER-DENVER 2014830



Overall Height: 23.50 (597)
Flange Diameter: 14.38 (365)
End 2 OD: 10.88 (276)
End 1 ID: 8.38 (213)

AS2220 GARDNER-DENVER 2109429



Overall Height: 11.12 (282)
Flange Diameter: 5.50 (140)
End 2 OD: 4.00 (102)
End 1 ID: 2.00 (51)

AS2221 GARDNER-DENVER 2109430




Overall Height: 12.19 (310)
Flange Diameter: 12.00 (305)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)

AS2222 GARDNER-DENVER 1157866



Overall Height: 9.50 (241)
Flange Diameter: 10.00 (254)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)

AS2223 GARDNER-DENVER 55B22



Overall Height: 23.25 (591)
Flange Diameter: 12.00 (305)
End 2 OD: 8.38 (213)
End 1 ID: 5.25 (133)

AS2224 GARDNER-DENVER 55B23



Overall Height: 12.00 (305)
Flange Diameter: 12.00 (305)
End 2 OD: 8.38 (213)
End 1 ID: 5.25 (133)

AS2225 GARDNER-DENVER
ECM81157



Overall Height: 12.25 (311)
Flange Diameter: 12.00 (305)
End 2 OD: 8.38 (213)
End 1 ID: 5.25 (133)

AS2226 GARDNER-DENVER 55B24



Overall Height: 9.25 (235)
Flange Diameter: 17.50 (445)
End 2 OD: 8.38 (213)
End 1 ID: 5.25 (133)

AS2229 GARDNER-DENVER
ECM80135



Overall Height: 18.25 (464)
Flange Diameter: 21.00 (533)
End 2 OD: 8.38 (213)
End 1 ID: 5.25 (133)

AS2232 GARDNER-DENVER 55B27



Overall Height: 22.19 (564)
Flange Diameter: 14.38 (365)
End 2 OD: 10.88 (276)
End 1 ID: 7.44 (189)

E. PRODUCT GUIDE

AS2234  GARDNER-DENVER 55B28 Overall Height: 24.19 (614) Flange Diameter: 17.50 (445) End 2 OD: 14.88 (378) End 1 ID: 11.40 (290)	AS2254  GARDNER-DENVER 200EAP035 Overall Height: 24.00 (610) Flange Diameter: 21.00 (533) End 2 OD: 9.62 (244) End 1 ID: 5.25 (133)	AS2264  INGERSOLL-RAND 35813187 Overall Height: 10.88 (276) Flange Diameter: 6.44 (164) End 2 OD: 4.88 (124) End 1 ID: 3.12 (79)
AS2236  GARDNER-DENVER 55B29 Overall Height: 22.25 (565) Flange Diameter: 23.75 (603) End 2 OD: 19.00 (483) End 1 ID: 15.00 (381)	AS2256  INGERSOLL-RAND 35577220 Overall Height: 18.81 (478) Flange Diameter: 9.84 (250) End 2 OD: 8.00 (203) End 1 ID: 5.38 (137)	AS2265  INGERSOLL-RAND 36506038 Overall Height: 9.00 (229) Flange Diameter: 6.69 (170) End 2 OD: 4.88 (124) End 1 ID: 3.12 (79)
AS2238  GARDNER-DENVER 55B38 Overall Height: 32.38 (822) Flange Diameter: 25.50 (648) End 2 OD: 21.00 (533) End 1 ID: 17.00 (432)	AS2257  INGERSOLL-RAND 35577238 Overall Height: 21.41 (544) Flange Diameter: 11.94 (303) End 2 OD: 8.38 (213) End 1 ID: 5.88 (149)	AS2266  AIR MAZE GS24024 Overall Height: 11.69 (297) Flange Diameter: 7.12 (181) End 2 OD: 6.12 (155) End 1 ID: 3.65 (93)
AS2242  GARDNER-DENVER 55B32 Overall Height: 18.12 (460) Flange Diameter: 12.00 (305) End 2 OD: 8.38 (213) End 1 ID: 5.25 (133)	AS2258  INGERSOLL-RAND 35580661 Overall Height: 36.81 (935) Flange Diameter: 16.44 (418) End 2 OD: 10.88 (276) End 1 ID: 8.38 (213)	AS2267  INGERSOLL-RAND 36723666 Overall Height: 13.00 (330) Flange Diameter: 11.76 (299) End 2 OD: 10.38 (264) End 1 ID: 7.88 (200)
AS2244  GARDNER-DENVER 55B33 Overall Height: 9.12 (232) Flange Diameter: 12.00 (305) End 2 OD: 8.38 (213) End 1 ID: 5.25 (133)	AS2259  AIR MAZE GS24010 Overall Height: 15.14 (385) Flange Diameter: 12.25 (311) End 2 OD: 9.62 (244) End 1 ID: 7.12 (181)	AS2268  INGERSOLL-RAND 35579184 Overall Height: 15.75 (400) Flange Diameter: 8.12 (206) End 2 OD: 6.12 (155) End 1 ID: 3.62 (92)
AS2246  GARDNER-DENVER 55B34 Overall Height: 9.25 (235) Flange Diameter: 11.50 (292) End 2 OD: 8.38 (213) End 1 ID: 5.25 (133)	AS2260  INGERSOLL-RAND 39504147 Overall Height: 23.41 (595) Flange Diameter: 18.25 (464) End 2 OD: 14.88 (378) End 1 ID: 12.38 (314)	AS2269  INGERSOLL-RAND 35577212 Overall Height: 32.50 (826) Flange Diameter: 18.50 (470) End 2 OD: 13.31 (338) End 1 ID: 10.81 (275)
AS2249  GARDNER-DENVER 55B35 Overall Height: 16.75 (425) Flange Diameter: 12.00 (305) End 2 OD: 8.38 (213) End 1 ID: 5.25 (133)	AS2261  INGERSOLL-RAND 39712070 Overall Height: 32.00 (813) Flange Diameter: 18.75 (476) End 2 OD: 14.88 (378) End 1 ID: 12.38 (314)	AS2270  INGERSOLL-RAND 39722897 Overall Height: 20.38 (518) Flange Diameter: 14.25 (362) End 2 OD: 10.38 (264) End 1 ID: 7.88 (200)
AS2251  GARDNER-DENVER 55B36 Overall Height: 14.18 (360) Flange Diameter: 11.50 (292) End 2 OD: 8.38 (213) End 1 ID: 5.25 (133)	AS2262  INGERSOLL-RAND 39726286 Overall Height: 10.56 (268) Flange Diameter: 7.65 (194) End 2 OD: 6.75 (171) End 1 ID: 4.12 (105)	AS2271  INGERSOLL-RAND 39755863 Overall Height: 9.00 (229) Flange Diameter: 8.00 (203) End 2 OD: 4.88 (124) End 1 ID: 2.50 (64)
AS2253  GARDNER-DENVER 55B37 Overall Height: 22.25 (565) Flange Diameter: 17.00 (432) End 2 OD: 10.88 (276) End 1 ID: 7.44 (189)	AS2263  INGERSOLL-RAND 39739578 Overall Height: 18.00 (457) Flange Diameter: 15.25 (387) End 2 OD: 11.88 (302) End 1 ID: 8.44 (214)	AS2272  INGERSOLL-RAND 39749429 Overall Height: 13.25 (337) Flange Diameter: 9.00 (229) End 2 OD: 5.75 (146) End 1 ID: 3.62 (92)

E. PRODUCT GUIDE

AS2274 INGERSOLL-RAND 39734892



Overall Height: 10.50 (267)
Flange Diameter: 9.38 (238)
End 2 OD: 6.88 (175)
End 1 ID: 3.81 (97)

AS2293 JOY 5431170019



Overall Height: 24.12 (613)
Flange Diameter: 12.50 (318)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)

AS2306 JOY 5431170040



Overall Height: 6.12 (155)
Flange Diameter: 12.00 (305)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)

AS2276 INGERSOLL-RAND 39738265



Overall Height: 14.00 (356)
Flange Diameter: 13.25 (337)
End 2 OD: 8.38 (213)
End 1 ID: 5.25 (133)

AS2294 Joy 00543117-0012



Overall Height: 4.25 (108)
Flange Diameter: 12.00 (305)
End 2 OD: 8.00 (203)
End 1 ID: 5.88 (149)

AS2307 JOY 5431170041



Overall Height: 10.12 (257)
Flange Diameter: 12.00 (305)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)

AS2277 INGERSOLL-RAND 39742861



Overall Height: 17.38 (441)
Flange Diameter: 16.88 (429)
End 2 OD: 14.88 (378)
End 1 ID: 11.40 (290)

AS2295 JOY 5431170020



Overall Height: 24.19 (614)
Flange Diameter: 13.75 (349)
End 2 OD: 10.88 (276)
End 1 ID: 8.38 (213)

AS2309 JOY 5431170044



Overall Height: 12.50 (318)
Flange Diameter: 13.44 (341)
End 2 OD: 10.88 (276)
End 1 ID: 7.88 (200)

AS2278 INGERSOLL-RAND 39727490



Overall Height: 24.75 (629)
Flange Diameter: 18.75 (476)
End 2 OD: 14.88 (378)
End 1 ID: 11.40 (290)

AS2297 JOY 5431170026



Overall Height: 10.19 (259)
Flange Diameter: 10.25 (260)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)

AS2311 LEROI 435582



Overall Height: 9.12 (232)
Flange Diameter: 15.38 (391)
End 2 OD: 11.88 (302)
End 1 ID: 9.38 (238)

AS2279 INGERSOLL-RAND 39750369



Overall Height: 18.25 (464)
Flange Diameter: 21.00 (533)
End 2 OD: 19.00 (483)
End 1 ID: 15.00 (381)

AS2298 JOY 5431170029



Overall Height: 16.38 (416)
Flange Diameter: 10.25 (260)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)

AS2312 LEROI 435583



Overall Height: 24.50 (622)
Flange Diameter: 15.38 (391)
End 2 OD: 11.88 (302)
End 1 ID: 9.38 (238)

AS2282 INGERSOLL-RAND 39748439



Overall Height: 30.25 (768)
Flange Diameter: 19.12 (486)
End 2 OD: 11.88 (302)

AS2300 JOY 5431170024



Overall Height: 5.25 (133)
Flange Diameter: 16.00 (406)
End 2 OD: 10.38 (264)
End 1 ID: 8.38 (213)

AS2313 LEROI 435584



Overall Height: 12.09 (307)
Flange Diameter: 15.38 (391)
End 2 OD: 11.88 (302)
End 1 ID: 9.38 (238)

AS2285 INGERSOLL-RAND 39742598



Overall Height: 14.00 (356)
Flange Diameter: 9.00 (229)
End 2 OD: 5.75 (146)
End 1 ID: 2.88 (73)

AS2302 JOY 5431170030



Overall Height: 23.50 (597)
Overall OD: 13.75 (349)
End 1 ID: 10.75 (273)

AS2319 LEROI 437451



Overall Height: 15.75 (400)
Flange Diameter: 15.38 (391)
End 2 OD: 6.88 (175)
End 1 ID: 5.00 (127)

AS2288 JOY 5431170013



Overall Height: 30.25 (768)
Flange Diameter: 18.00 (457)
End 2 OD: 14.88 (378)
End 1 ID: 12.31 (313)

AS2303 JOY 5431170031



Overall Height: 20.69 (526)
Flange Diameter: 10.69 (272)
End 2 OD: 8.00 (203)
End 1 ID: 5.88 (149)

AS2320 LEROI 43747



Overall Height: 9.44 (240)
Flange Diameter: 15.50 (394)
End 2 OD: 10.88 (276)
End 1 ID: 8.38 (213)

AS2292 JOY 5431170018



Overall Height: 42.19 (1072)
Flange Diameter: 16.44 (418)
End 2 OD: 14.88 (378)
End 1 ID: 12.38 (314)

AS2304 JOY 5431170032




Overall Height: 18.56 (471)
Flange Diameter: 18.00 (457)
End 2 OD: 14.88 (378)
End 1 ID: 12.38 (314)

AS2321 LEROI 43758





Overall Height: 10.62 (270)
Flange Diameter: 8.62 (219)
End 2 OD: 6.75 (171)
End 1 ID: 5.00 (127)




E. PRODUCT GUIDE

AS2322  QUINCY 20065 Overall Height: 12.00 (305) Flange Diameter: 11.00 (279) End 2 OD: 8.38 (213) End 1 ID: 5.88 (149)	AS2337  QUINCY 1221175 Overall Height: 18.16 (461) Flange Diameter: 17.12 (435) End 2 OD: 10.88 (276) End 1 ID: 8.38 (213)	AS2350  SULLAIR 11001 Overall Height: 17.00 (432) Flange Diameter: 7.88 (200) End 2 OD: 6.88 (175) End 1 ID: 4.12 (105)
AS2323  QUINCY 20066 Overall Height: 12.88 (327) Flange Diameter: 14.00 (356) End 2 OD: 10.88 (276) End 1 ID: 8.38 (213)	AS2338  QUINCY 1221177 Overall Height: 28.19 (716) Flange Diameter: 23.25 (591) End 2 OD: 10.88 (276) End 1 ID: 8.38 (213)	AS2351  SULLAIR 1075 Overall Height: 24.19 (614) Flange Diameter: 10.66 (271) End 2 OD: 8.38 (213) End 1 ID: 5.88 (149)
AS2324  QUINCY 20067 Overall Height: 17.00 (432) Flange Diameter: 14.00 (356) End 2 OD: 10.88 (276)	AS2339  QUINCY 1221178 Overall Height: 6.15 (156) Flange Diameter: 10.38 (264) End 2 OD: 4.88 (124) End 1 ID: 3.12 (79)	AS2352  SULLAIR 11088 Overall Height: 26.00 (660) Flange Diameter: 13.75 (349) End 2 OD: 11.88 (302) End 1 ID: 9.62 (244)
AS2326  QUINCY 227051 Overall Height: 18.25 (464) Flange Diameter: 10.38 (264) End 2 OD: 8.38 (213) End 1 ID: 5.88 (149)	AS2340  QUINCY 124487003 Overall Height: 9.50 (241) Flange Diameter: 12.75 (324) End 2 OD: 10.62 (270) End 1 ID: 7.44 (189)	AS2353  SULLAIR 408167002 Overall Height: 23.25 (591) Flange Diameter: 13.75 (349) End 2 OD: 8.38 (213) End 1 ID: 7.00 (178)
AS2327  QUINCY 227052 Overall Height: 18.12 (460) Flange Diameter: 12.75 (324) End 2 OD: 10.88 (276) End 1 ID: 8.38 (213)	AS2341  QUINCY 124487004 Overall Height: 18.25 (464) Flange Diameter: 17.00 (432) End 2 OD: 14.88 (378) End 1 ID: 11.40 (290)	AS2354  SULLAIR 408167003 Overall Height: 36.25 (921) Flange Diameter: 23.25 (591) End 2 OD: 19.00 (483) End 1 ID: 15.00 (381)
AS2329  QUINCY 227054 Overall Height: 28.00 (711) Flange Diameter: 17.12 (435) End 2 OD: 14.88 (378) End 1 ID: 12.38 (314)	AS2344  SULLAIR 241503 Overall Height: 11.75 (298) Flange Diameter: 7.88 (200) End 2 OD: 6.88 (175) End 1 ID: 4.12 (105)	AS2355  SULLAIR 408167004 Overall Height: 26.62 (676) Flange Diameter: 23.25 (591) End 2 OD: 10.88 (276) End 1 ID: 7.44 (189)
AS2331  QUINCY 227058 Overall Height: 9.38 (238) Flange Diameter: 10.38 (264) End 2 OD: 8.38 (213) End 1 ID: 5.88 (149)	AS2346  SULLAIR 250002066 Overall Height: 26.25 (667) Overall OD: 10.88 (276)	AS2356  SULLAIR 408167005 Overall Height: 16.00 (406) Flange Diameter: 10.66 (271) End 2 OD: 8.38 (213) End 1 ID: 5.25 (133)
AS2333  QUINCY 1221171 Overall Height: 10.16 (258) Flange Diameter: 10.38 (264) End 2 OD: 4.88 (124) End 1 ID: 3.12 (79)	AS2348  SULLAIR 11101 Overall Height: 9.69 (246) Flange Diameter: 7.88 (200) End 2 OD: 6.88 (175) End 1 ID: 4.12 (105)	AS2357  SULLAIR 408167006 Overall Height: 24.00 (610) Flange Diameter: 10.66 (271) End 2 OD: 8.38 (213) End 1 ID: 5.25 (133)
AS2334  QUINCY 1221172 Overall Height: 12.16 (309) Flange Diameter: 12.75 (324) End 2 OD: 6.12 (155) End 1 ID: 3.62 (92)	AS2349  SULLAIR 40260 Overall Height: 32.44 (824) Flange Diameter: 26.50 (673) End 2 OD: 21.00 (533) End 1 ID: 18.25 (464)	AS2358  SULLAIR 408167007 Overall Height: 22.25 (565) Flange Diameter: 23.75 (603) End 2 OD: 19.00 (483) End 1 ID: 15.00 (381)

E. PRODUCT GUIDE

AS2360 SULLAIR 409267 Overall Height: 24.25 (616) Flange Diameter: 13.75 (349) End 2 OD: 10.88 (276)	AS2382 WORTHINGTON PUMP FLR400  Overall Height: 21.19 (538) Flange Diameter: 16.50 (419) End 2 OD: 10.38 (264) End 1 ID: 7.88 (200)	AS2393 ATLAS COPCO 16144373  Overall Height: 10.12 (257) End 1 OD: 11.81 (300) End 2 OD: 8.62 (219) End 1 ID: 6.50 (165) Thread Size: M8 X 1.25-6H INT
AS2363 SULLAIR 410333  Overall Height: 8.00 (203) Flange Diameter: 7.88 (200) End 2 OD: 6.88 (175) End 1 ID: 3.88 (99)	AS2383 WORTHINGTON FLR436  Overall Height: 12.16 (309) Flange Diameter: 12.00 (305) End 2 OD: 8.38 (213) End 1 ID: 5.88 (149)	AS2394 ATLAS COPCO 16196248  Overall Height: 7.36 (187) End 1 OD: 8.66 (220) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122) Thread Size: M8 X 1.25-6H INT
AS2365 SULLAIR 47043  Overall Height: 6.81 (173) Flange Diameter: 7.88 (200) End 2 OD: 6.88 (175) End 1 ID: 3.88 (99)	AS2384 CHICAGO-PNEUMATIC 1PS4801  Overall Height: 26.00 (660) Overall OD: 11.50 (292) End 1 ID: 9.25 (235)	AS2395 BAUER KB22531430  Overall Height: 12.48 (317) End 1 OD: 7.87 (200) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122)
AS2367 SULLAIR 1148  Overall Height: 25.06 (637) Flange Diameter: 22.00 (559) End 2 OD: 19.00 (483) End 1 ID: 15.00 (381)	AS2387 KELTEC KH730006  Overall Height: 38.50 (978) Flange Diameter: 16.44 (418) End 2 OD: 13.81 (351) End 1 ID: 8.38 (213)	AS2396 BAUER KB22959430  Overall Height: 8.15 (207) End 1 OD: 9.76 (248) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122) Thread Size: M8 X 1.25-6H INT
AS2368 SULLAIR 250005547  Overall Height: 10.75 (273) Flange Diameter: 10.62 (270) End 2 OD: 8.38 (213) End 1 ID: 5.25 (133)	AS2388 SULLAIR 408167011  Overall Height: 14.00 (356) Flange Diameter: 10.75 (273) End 2 OD: 4.00 (102) End 1 ID: 2.00 (51)	AS2397 BOGE 575000206  Overall Height: 8.35 (212) End 1 OD: 6.69 (170) End 2 OD: 5.28 (134) End 1 ID: 3.47 (88)
AS2372 SULLAIR 250007139  Overall Height: 20.50 (521) Flange Diameter: 13.75 (349) End 2 OD: 10.62 (270) End 1 ID: 7.12 (181)	AS2389 BAUER DV375, KAESER 619620  Overall Height: 24.09 (612) End 1 OD: 10.75 (273) End 2 OD: 8.62 (219) End 1 ID: 6.50 (165)	AS2398 COMPAIR 98262102  Overall Height: 6.77 (172) End 1 OD: 7.87 (200) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122)
AS2379 WORTHINGTON FLR383  Overall Height: 24.25 (616) Flange Diameter: 23.00 (584) End 2 OD: 19.00 (483) End 1 ID: 16.25 (413)	AS2390 ATLAS COPCO 12026414  Overall Height: 13.07 (332) End 1 OD: 11.81 (300) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122) Thread Size: M8 X 1.25-6H INT	AS2399 COMPAIR 98262108  Overall Height: 9.53 (242) End 1 OD: 9.84 (250) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122)
AS2380 WORTHINGTON FLR395  Overall Height: 12.16 (309) Flange Diameter: 12.50 (318) End 2 OD: 8.38 (213) End 1 ID: 5.88 (149)	AS2391 ATLAS COPCO 12028722  Overall Height: 6.81 (173) End 1 OD: 8.66 (220) End 2 OD: 5.28 (134) End 1 ID: 2.95 (75)	AS2400 COMPAIR 98262120  Overall Height: 5.51 (140) End 1 OD: 6.50 (165) End 2 OD: 4.92 (125) End 1 ID: 2.99 (76)
AS2381 WORTHINGTON PUMP FLR397  Overall Height: 18.12 (460) Flange Diameter: 12.50 (318) End 2 OD: 8.38 (213) End 1 ID: 5.88 (149)	AS2392 ATLAS COPCO 16123869  Overall Height: 10.91 (277) End 1 OD: 8.66 (220) End 2 OD: 5.28 (134) End 1 ID: 3.47 (88) Thread Size: M8 X 1.25-6H INT	

E. PRODUCT GUIDE

AS2401  COMPAIR 98262121 Overall Height: 9.53 (242) End 1 OD: 7.87 (200) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122)	AS2413  BOGE 575000205 Overall Height: 12.48 (317) End 1 OD: 6.69 (170) End 2 OD: 5.28 (134) End 1 ID: 3.47 (88)	AS2422  KAESER 619630 Overall Height: 9.53 (242) End 1 OD: 7.87 (200) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122)
AS2402  COMPAIR 9826233 Overall Height: 9.53 (242) End 1 OD: 9.37 (238) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122)	AS2414  DEMAG 691674 Overall Height: 17.40 (442) End 1 OD: 10.75 (273) End 2 OD: 8.62 (219) End 1 ID: 6.50 (165)	AS2423  KAESER 619640 Overall Height: 30.00 (762) End 1 OD: 12.76 (324) End 2 OD: 10.75 (273) End 1 ID: 8.62 (219)
AS2403  COMPAIR 982625073 Overall Height: 12.48 (317) End 1 OD: 8.58 (218) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122) Thread Size: M8 X 1.25-6H INT	AS2415  PUROLATOR 852468 Overall Height: 26.46 (672) End 1 OD: 13.98 (355) End 2 OD: 11.73 (298) End 1 ID: 9.57 (243)	AS2424  KAESER 619650 Overall Height: 18.11 (460) End 1 OD: 12.76 (324) End 2 OD: 10.75 (273) End 1 ID: 8.62 (219)
AS2404  COMPAIR 982625079 Overall Height: 12.48 (317) End 1 OD: 14.69 (373) End 2 OD: 10.79 (274) End 1 ID: 8.50 (216)	AS2417  INGERSOLL-RAND 92128883 Overall Height: 9.76 (248) End 1 OD: 6.50 (165) End 2 OD: 5.28 (134) End 1 ID: 3.47 (88)	AS2425  CREYSSSENSAC 11366313, ROTORCOMP R212790788 Overall Height: 6.50 (165) Overall OD: 4.49 (114) End 1 ID: 2.60 (66) End 2 ID: 2.60 (66)
AS2405  COMPAIR 982625085 Overall Height: 7.44 (189) End 1 OD: 8.58 (218) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122) Thread Size: M8 X 1.25-6H INT	AS2418  INGERSOLL-RAND 39737473 Overall Height: 9.84 (250) End 1 OD: 11.34 (288) End 2 OD: 8.62 (219) End 1 ID: 6.18 (157)	AS2426  CREYSSSENSAC 11366413, ROTORCOMP R22270788 Overall Height: 10.16 (258) Overall OD: 4.49 (114) End 1 ID: 2.60 (66) End 2 ID: 2.60 (66)
AS2406  COMPAIR 9826277 Overall Height: 12.99 (330) End 1 OD: 10.75 (273) End 2 OD: 8.62 (219) End 1 ID: 6.50 (165)	AS2419  COMPAIR 9826223 Overall Height: 12.48 (317) End 1 OD: 12.91 (328) End 2 OD: 10.75 (273) End 1 ID: 8.62 (219)	AS2427  ROTORCOMP R22280788 Overall Height: 13.39 (340) Overall OD: 4.49 (114) End 1 ID: 2.60 (66) End 2 ID: 2.60 (66)
AS2407  COMPAIR 982628020 Overall Height: 7.56 (192) End 1 OD: 11.81 (300) End 2 OD: 8.62 (219) End 1 ID: 6.46 (164)	AS2420  INGERSOLL-RAND 92722750 Overall Height: 12.01 (305) End 1 OD: 11.34 (288) End 2 OD: 8.66 (220) End 1 ID: 6.18 (157)	AS2428  WORTHINGTON 113520 Overall Height: 8.66 (220) End 1 OD: 11.73 (298) End 2 OD: 7.84 (199) End 1 ID: 5.39 (137)
AS2408  COMPAIR 982628023 Overall Height: 6.38 (162) End 1 OD: 10.04 (255) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122)	AS2421  INGERSOLL-RAND 92754688 Overall Height: 9.06 (230) End 1 OD: 7.68 (195) End 2 OD: 6.65 (169) End 1 ID: 4.25 (108)	AS2429  WORTHINGTON 2180201 Overall Height: 10.63 (270) End 1 OD: 11.81 (300) End 2 OD: 8.66 (220) End 1 ID: 6.30 (160)
AS2409  COMPAIR 982628026 Overall Height: 7.56 (192) End 1 OD: 14.69 (373) End 2 OD: 10.79 (274) End 1 ID: 8.50 (216)	AS2430  WORTHINGTON 4110286 Overall Height: 16.46 (418) End 1 OD: 7.87 (200) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122)	
AS2410  CREYSSSENSAC 11319800 Overall Height: 8.98 (228) End 1 OD: 9.25 (235) End 2 OD: 5.91 (150) End 1 ID: 3.94 (100)		

E. PRODUCT GUIDE

AS2432	WORTHINGTON 41113676
	Overall Height: 14.57 (370) End 1 OD: 7.87 (200) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122)
AS2433	WORTHINGTON 41113679
	Overall Height: 14.57 (370) End 1 OD: 11.02 (280) End 2 OD: 8.62 (219) End 1 ID: 6.50 (165)
AS2434	CREYSSENSAC 11317100, WORTHINGTON 41544
	Overall Height: 7.64 (194) End 1 OD: 11.65 (296) End 2 OD: 8.62 (219) End 1 ID: 6.50 (165)
AS2435	INGERSOLL-RAND 92522135
	Overall Height: 9.84 (250) End 1 OD: 6.50 (165) End 2 OD: 4.33 (110) End 1 ID: 2.36 (60)
AS2436	COMPAIR 982628027
	Overall Height: 12.48 (317) End 1 OD: 14.69 (373) End 2 OD: 10.79 (274) End 1 ID: 8.47 (215)
AS2437	INGERSOLL-RAND 92077601
	Overall Height: 11.89 (302) End 1 OD: 14.69 (373) End 2 OD: 5.28 (134) End 1 ID: 3.47 (88)
AS2438	KELTEC KV85002, AIR MAZE GS39009
	Overall Height: 28.25 (718) Flange Diameter: 22.00 (559) End 2 OD: 19.00 (483) End 1 ID: 16.25 (413)
AS2439	AIR MAZE GS39011, KELTEC KV1300002
	Overall Height: 20.25 (514) Flange Diameter: 22.00 (559) End 2 OD: 11.88 (302) End 1 ID: 9.62 (244)
AS2440	KELTEC KV250017
	Overall Height: 13.12 (333) Flange Diameter: 11.75 (298) End 2 OD: 10.38 (264) End 1 ID: 7.88 (200)

AS2441	KELTEC KV100007
	Overall Height: 9.62 (244) Flange Diameter: 11.75 (298) End 2 OD: 5.50 (140) End 1 ID: 3.62 (92)
AS2442	ATLAS COPCO 1616465600
	Overall Height: 14.17 (360) End 1 OD: 15.75 (400) End 2 OD: 10.32 (262) End 1 ID: 6.50 (165) Thread Size: M8 X 1.5-6G INT
AS2443	ATLAS COPCO 1614532900
	Overall Height: 13.78 (350) Overall OD: 3.94 (100) End 1 ID: 1.77 (45)
AS2444	ATLAS COPCO 1202741900
	Overall Height: 13.70 (348) End 1 OD: 11.81 (300) End 2 OD: 8.66 (220) End 1 ID: 6.18 (157)
AS2445	ATLAS COPCO 2911002800
	Overall Height: 11.42 (290) End 1 OD: 9.84 (250) End 2 OD: 5.28 (134) End 1 ID: 2.95 (75)
AS2446	ATLAS COPCO 2901021300
	Overall Height: 9.06 (230) End 1 OD: 11.81 (300) End 2 OD: 6.61 (168) End 1 ID: 4.25 (108)
AS2447	KAESER 620320
	Overall Height: 12.48 (317) End 1 OD: 12.76 (324) End 2 OD: 10.75 (273) End 1 ID: 8.62 (219)
AS2448	KAESER 619470
	Overall Height: 12.50 (318) End 1 OD: 7.87 (200) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122)

AS2449	KAESER 620100
	Overall Height: 8.29 (211) End 1 OD: 6.69 (170) End 2 OD: 5.28 (134) End 1 ID: 3.47 (88)
AS2450	MANN & HUMMEL LB7192
	Overall Height: 4.91 (125) Largest OD: 3.11 (79) Thread Size: M22 X 1.5-6H INT
AS2451	MANN & HUMMEL LB9622
	Overall Height: 8.32 (211) Largest OD: 3.86 (98) Thread Size: M24 X 1.5-6H INT
AS2452	MANN & HUMMEL LB13742
	Overall Height: 7.01 (178) Largest OD: 5.51 (140) Thread Size: M39 X 1.5-6H INT
AS2453	MANN & HUMMEL LB111022
	Overall Height: 10.32 (262) Largest OD: 4.35 (111) Thread Size: M32 X 1.5-6H INT
AS2454	MANN & HUMMEL LB131453
	Overall Height: 12.05 (306) Largest OD: 5.51 (140) Thread Size: M39 X 1.5-6H INT
AS2455	ATLAS COPCO 1613800700
	Overall Height: 12.01 (305) End 1 OD: 15.75 (400) End 2 OD: 9.41 (239) End 1 ID: 6.97 (177)
AS2456	ATLAS COPCO 1614642300
	Overall Height: 17.52 (445) End 1 OD: 19.69 (500) End 2 OD: 13.74 (349) End 1 ID: 10.39 (264)
AS2457	ATLAS COPCO 1613750200
	Overall Height: 6.81 (173) End 1 OD: 9.37 (238) End 2 OD: 5.28 (134) End 1 ID: 2.95 (75)

E. PRODUCT GUIDE

AS2458  TAMROCK 3340028 Overall Height: 16.28 (414) Overall OD: 3.94 (100) End 1 ID: 0.63 (16) End 2 ID: 2.15 (55)	AS2466  INGERSOLL-RAND 93522902 Overall Height: 12.36 (314) End 1 OD: 7.56 (192) End 2 OD: 6.61 (168) End 1 ID: 4.80 (122)	AS2475  DEMAG 5482874 Overall Height: 8.35 (212) End 1 OD: 6.69 (170) End 2 OD: 5.28 (134) End 1 ID: 3.47 (88)
AS2459  DEMAG 10173774 Overall Height: 15.75 (400) End 1 OD: 13.78 (350) End 2 OD: 11.73 (298) End 1 ID: 8.62 (219)	AS2467  MANN & HUMMEL 4900050181 Overall Height: 24.09 (612) End 1 OD: 13.98 (355) End 2 OD: 11.73 (298) End 1 ID: 9.57 (243)	AS2476  DEMAG 13088474
AS2460  MANN & HUMMEL 4900050191 Overall Height: 20.16 (512) End 1 OD: 13.98 (355) End 2 OD: 11.73 (298) End 1 ID: 9.57 (243)	AS2468  ATLAS COPCO 1613839700 Overall Height: 7.09 (180) End 1 OD: 11.81 (300) End 2 OD: 6.61 (168) End 1 ID: 4.25 (108)	AS2477  ATLAS COPCO 2911007500 Overall Height: 11.32 (288) End 1 OD: 6.93 (176) End 2 OD: 6.69 (170) End 1 ID: 1.13 (29) End 2 ID: 1.76 (45)
AS2461  ATLAS COPCO 2911001900 Overall Height: 21.85 (555) End 1 OD: 15.75 (400) End 2 OD: 10.35 (263) End 1 ID: 6.54 (166)	AS2469  HYDROVANE 59180 Overall Height: 11.26 (286) Overall OD: 2.76 (70) End 1 ID: 1.06 (27) Thread Size: M8-INT	AS2478  INGERSOLL-RAND 92866508 Overall Height: 11.89 (302) End 1 OD: 6.97 (177) End 2 OD: 5.28 (134) End 1 ID: 3.47 (88)
AS2462  TAMROCK 3267728 Overall Height: 10.00 (254) Overall OD: 3.13 (80) End 1 ID: 1.65 (42)	AS2470  DEMAG 11427474 Overall Height: 20.24 (514) End 1 OD: 17.28 (439) End 2 OD: 15.67 (398) End 1 ID: 12.36 (314)	BF1363 Mercedes A0004771302
AS2463  INGERSOLL-RAND 92725514 Overall Height: 20.47 (520) End 1 OD: 17.28 (439) End 2 OD: 15.67 (398) End 1 ID: 12.36 (314)	AS2471  ATLAS COPCO 1613692100 Overall Height: 6.81 (173) End 1 OD: 8.66 (220) End 2 OD: 5.28 (134) End 1 ID: 2.95 (75)	BT8512 Liebherr 5612546, 7004209, Mann & Hummel WD9502
AS2464  MANN & HUMMEL 4930252131 Overall Height: 12.01 (305) End 1 OD: 7.87 (200) End 2 OD: 6.61 (168) End 1 ID: 4.25 (108)	AS2472  DEMAG 10012674 Overall Height: 6.30 (160) End 1 OD: 6.69 (170) End 2 OD: 5.28 (134) End 1 ID: 2.95 (75)	Cooling System Aids CC2523 Fuel Sampling Kit 
AS2465  INGERSOLL-RAND 92765783 Overall Height: 19.69 (500) End 1 OD: 17.32 (440) End 2 OD: 11.73 (298) End 1 ID: 8.62 (219)	AS2473  INGERSOLL-RAND 92101153 Overall Height: 10.08 (256) End 1 OD: 12.01 (305) End 2 OD: 10.79 (274) End 1 ID: 8.27 (210)	CC2524 Microbicide Testing Kit 
AS2474 DAF 1686587		CC2525 Monitor-Basic lube oil engine analysis kit 
		CC2526 Monitor oil analysis 
		CC2527 Monitor- Hydraulic fluid analysis kit 